
COVID-19 Surveillance Update


12/16/2022 Randon Gruninger, MPH



COVID-19 Case Counts



COVID-19 Case Counts in Past Year




Daily Case Counts 7-Day Average Cases


COVID-19 Wastewater

Wastewater Level	Number of Sites	Percent of Sites
Elevated	32	94.1%
Watch	2	5.9%
Low	0	0%

Wastewater Trend	Number of Sites	Percent of Sites
Increasing	3	8.8%
Plateau/Indeterminate	21	61.8%
Decreasing	9	26.5%
Insufficient Data	1	2.9%



COVID-19 Severe Disease




5


Hospitalizations in this time may not yet be reported

July 01


LTCFs with COVID + Residents



Outbreaks Among LTCFs




Outbreaks Among LTCFs




Variant Landscape

WHO label	Lineage #	US Class	%Total	95%PI
Omicron	BQ.1.1	voc	38.4%	35.7-41.3%
	BQ.1	VOC	30.7%	28.7-32.8%
	BA.5	VOC	10.0%	9.1-10.9%
	XBB	VOC	7.2%	4.2-11.9%
	BF.7	voc	4.9%	4.2-5.6%
	BN.1	VOC	4.1%	3.5-4.7%
	BA.5.2.6	VOC	<mark>1</mark> .6%	1.3-1.8%
	BA.4.6	VOC	1.1%	1.0-1.3%
	BF.11	VOC	0.7%	0.5-0.9%
	BA.2	VOC	0.6%	0.3-1.1%
	BA.2.75	voc	0.5%	0.4-0.6%
	BA.2.75.2	voc	0.3%	0.2-0.4%
	BA.4	VOC	0.0%	0.0-0.0%
	BA.1.1	VOC	0.0%	0.0-0.0%
	B.1.1.529	VOC	0.0%	0.0-0.0%
	BA.2.12.1	voc	0.0%	0.0-0.0%
Delta	B.1.617.2	VBM	0.0%	0.0-0.0%
Other	Other*		0.0%	0.0-0.0%




Source: CDC Nowcast data for Region 8


COVID Vaccines



Influenza-Associated Hospitalization Weekly Incidence




Influenza-Like Illness (ILI) Activity Rate




Influenza-Like Illness (ILI) Activity Rate - Nationally


Percentage of Outpatient Visits for Respiratory Illness Reported By The U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet), Weekly National Summary, 2022-2023* and Selected Previous Seasons



National ILI Activity Comparison





ED Encounters – COVID, Influenza, and RSV




----- COVID ------ Influenza ------ Respiratory Syncytial Virus

ED Encounters by Age Group – COVID, Influenza, and RSV











Intermountain Healthcare GermWatch - RSV

Seasonality

In Utah, RSV is most active in the winter and early spring. Epidemics occur yearly, usually between January and March.





Intermountain Healthcare GermWatch - Influenza

Seasonality

In Utah, the flu "season" is fall and winter - it follows our cold weather.

